



# TAMLITE LIGHTING

660 NW Peacock Blvd. Port St. Lucie, FL 34986  
tel: (772) 878-4944 or on the web at [www.tamliteusa.com](http://www.tamliteusa.com)

## SPECIFICATION & FEATURES

Catalog Number
Notes
Job/Title

# LXPCP Series LED Strip light Exit Combo

### DESCRIPTION:

The LXPCP Series is an energy saving LED exit sign and emergency lighting combination unit in one compact, modern design with uniform illumination in an economical package.

### CONSTRUCTION:

The LXPCP is injection molded, UV-stable UL 94V-0 flame rating, thermoplastic, impact, scratch, fade and corrosion-resistant. Easy to install snap-fit faceplate and backplate and optional second faceplate for double face applications. The chevron directional indicators can be easily removed or reinserted as necessary comes in red or green letters.

### ILLUMINATION:

Long life, energy saving LED exit sign with an LED emergency light into one low-profile unit Ultra-bright, energy efficient white LED emergency lighting. High-performance smooth thermoplastic reflector and polycarbonate lens for optimal light distribution and is resistance to discoloration.

### ELECTRICAL:

Dual 120V/277V voltage Rated for use in damp locations has AC power indicator and LVD (low voltage disconnect) prevents battery from deep discharge. Fully automatic solid-state, two-rate charger initiates battery charging to recharge a discharged battery in 24 hours. Internal solid-state transfer switch automatically connects the internal batteries to LED board for emergency illumination. The LXPCP comes standard with Dual Long-life, maintenance-free, rechargeable NiCd batteries (EM). The NiCd batteries will operate the fixture plus an additional 3W remote load for a minimum of 90 minutes of emergency illumination.

### CODE COMPLIANCE:

UL listed for damp locations & meets UL924, NFPA 101 Life Safety Code compliant, NEC and OSHA compliant.

### MOUNTING:

May be top, back or side mounted. All signs include quick-install snapfit canopy and mounting hardware for easy top mount installation. Universal mounting plate with quick-connect feature and universal J-box pattern. Flexible conduit only.


### WARRANTY:

Guaranteed for five (5) year against mechanical defects in manufacturing.

\*\*\* SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE\*\*\*



### DIMENSIONS DATA



### ORDERING INFORMATION

## LXPCP

Sample Part Code: LXPCP1RWEM

