

MODEL :		TYPE
PROJECT :		
PREPARED BY :	DATE :	


SERIES SPECIFICATIONS

SLUCH SERIES

The SLUCH series of under cabinet lights combine modern technology with a simple and elegant design. By using more smaller LEDs the SLUCH series gives a smooth light source to replicate fluorescent lighting. The SLUCH fixtures are long lasting and energy efficient.



LINE DRAWING



CONSTRUCTION

Housing Material
Stamped Metal Housing

Housing Finish
White

Diffuser Material
Acrylic

Diffuser Finish
Clear Frosted

Linkable
No

Power Switch
On/Off Rocker Switch

ELECTRICAL SPECIFICATIONS

Input Voltage
120V

Input Wattage
15.08 W

Color Temp
3000K

MODEL :		TYPE
PROJECT :		
PREPARED BY :	DATE :	

ELECTRICAL SPECIFICATIONS CONT.

Input Current
127.20 mA

Efficacy
72+ lm/W

Power Factor
> 0.9

Frequency
60 Hz


CRI
83 +

Lumens
1000+ lm

Dimmable
Yes

*Please consult factory for list of approved dimmers

PERFORMANCE SPECIFICATIONS



CERTIFICATIONS/WARRANTY

Listing
ETL Listed

Location Rating:
Suitable for damp locations

Warranty

Guaranteed for three years from the purchase date of the product, against mechanical defects in manufacturing.

MODEL :		TYPE
PROJECT :		
PREPARED BY :	DATE :	

ORDERING INFORMATION

Sample Part Number: SLUCH3015WH

SLUCH	30	15	WH
SERIES	LENGTH	WATTAGE	COLOR
SLUCH	[30] : 30"	[15] : 15 Watts	[WH] : White

DIMMER LIST

LUTRON		
Div@ C*L	DVWCL-153P*	DVCL-153P*
Lumea@ C*L		
LGCL-153P*		
Toggler@ C*L		
TGCL-153P*		