

MODEL :		TYPE
PROJECT :		
PREPARED BY :	DATE :	


SERIES SPECIFICATIONS

EXPT SERIES

The EXPT ultra thin series thermoplastic LED exit sign offers a modern look with long lamp life, energy efficiency and uniform illumination; all components feature a snap-fit construction for speed and ease of installation.



LINE DRAWING



CONSTRUCTION

Housing
 Injection-molded, engineering grade, 5VA flame retardant, high-impact thermoplastic

Transfer switch
 Internal solid-state transfer switch automatically connects the internal battery to lamp heads

Chevrons
 Easy snap-out chevron directional indicators.

Illumination
 Ultra bright, long life Red or Green LED

Charger
 Fully automatic solid-state, two rate charger initiates battery charging to recharge a discharged battery in 24 hours

MODEL :		TYPE
PROJECT :		
PREPARED BY :	DATE :	

ELECTRICAL SPECIFICATIONS

Battery Type 1.2V Rechargeable NiCad	Emergency Illumination Minimum 90 Minutes	Battery Recharge Time 24 Hours
Low Voltage Disconnect Prevents battery from deep discharge	LED Indicator Charge rate/power "ON" and push to test switch	Battery Discharge Time 1.5 Hours
Operating Voltage 120/277	Frequency 60Hz	Operating Temp 0°C ~ 50°C

AMPERAGE/WATTAGE

CATALOG NUMBER	INPUT WATTS (W)		INPUT AMPS (A)	
	120V	277V	120V	277V
EXPT	1.0	1.0	0.10	0.10

MOUNTING SPECIFICATIONS

Mounting canopy included for top or end mount.

Universal K/O pattern on back plate for wall mount.

CERTIFICATIONS/WARRANTY

Listing
UL Listed

Compliance
Meets UL924, cULus, NFPA 101 Life Safety Code, NEC, OSHA, Local and State Codes.

Location Rating:
Suitable for damp locations

Warranty

Guaranteed for five years from the purchase date of the product, against mechanical defects in manufacturing. Batteries are pro-rated for two years.

MODEL :		TYPE
PROJECT :		
PREPARED BY :	DATE :	

ORDERING INFORMATION

Part Number: EXPT1RWEM

EXPT				EM
SERIES	NO. OF FACES	LETTER COLOR	HOUSING COLOR	OPERATION
EXPT	[1] : Single Face	[G] : Green	[B] : Black	[EM] : Battery Backup
	[2] : Double Face	[R] : Red	[W] : White	